

# Tender specifications

## Aluminium-Block Frame Type CHORWO

62 mm dull with reveal fold,  
Rebate depth 43mm,  
Construction with aluminium base frame,  
to be installed before completion of the walls,  
Mirror width hinge side / hinge side 18/18 mm,  
External profile 62 mm,  
Edge radius 0,5mm,  
Fold width 15mm,  
Material thickness 3mm,  
Aluminium extrusion profiles of alloy (AlMgSi0.5) EN AW-6060 T66 according to EN 573-3 and EN 755-2,  
Mould tolerances according to EN 12020-2,  
Surface according to the description,  
incl. rebate seal made of TPE with stretch protection,  
prepared for recording tape TECTUS 210

Please check the relevant box.

### Surface / frame

- ☐ silver coloured anodised E6EV1
- ☐ powder-coated to RAL colour scale (silky 70-85)
- ☐ powder-coated to NCS colour scale
- ☐ powder coated to DB colour scale
- ☐ stainless steel finish
- ☐ mill finished (untreated)
- ☐ Special version

### Colour of the rebate seal and wall connection seal

- ☐ black
- ☐ Grey
- ☐ White

### Tape

- Piece of Simons Tectus Band 210 3D concealed in frame

Kontak besonderhede as “Footer” van bladsy saam CHORWO naam logo

## Tender specifications

### CHORWO door leaf / surface

Door leaf from the CHORWO series

Door leaf 60 mm thick, solid core insert made of fibreboard,  
(Highly insulating door centre layer)

Structure 5-fold gluing according to DIN 68706,

Climate class II, stress group M,

LSL stabilizer, hardwood ABURA for extreme stability

Barrier made of 2x6 mm MDF,

with 2 pieces of concealed door hinges,

Type Tectus TE210 3D in stainless steel look,

(from door height 2326 mm 3 strips)

Whisper lock, class 3 with stainless steel [frontend](#)

without keyhole hole in the door leaf,

Edge formation dull with additional fold,

Please check the relevant box.

### Surface / door panel finishes

PU color paint / PU varnish:

- ☐ primed
- ☐ Quartzite lacquer: dark gray 387
- ☐ DF 16
- ☐ DF 88
- ☐ RAL 1013
- ☐ RAL 1015
- ☐ RAL 9003
- ☐ RAL 9010
- ☐ RAL of your choice \_\_\_\_\_

### Surface / door leaf-wood veneers

Strip veneers:

Europ. cherry

Natural oak

Maple lightly stained

Fineline Veneers:

- ☐ Limed oak
- ☐ cherry
- ☐ Walnut nature
- ☐ Zebrano
- ☐ Makassar
- ☐ Wenge
- ☐ Wenge dark
- ☐ Wenge blue

# Tender specifications

## Dimensions

	Width (mm)		Height (mm)
Shell nominal size (RBM)	_____	x	_____
Frame rebate (ZFM)	_____	x	_____
Lights frame passage (LZD)	_____	x	_____
Finished wall thickness (FWD)	_____		
External profile (frame) PA	_____		

(Laaste bladsy is net weer die kontan details.